

H

Notice of Allowability

Application No.

10/729,185

Applicant(s)

THOMAS, ROGER

Examiner

Art Unit

Shelley Self

3725

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 5/16/07.
2. ☒ The allowed claim(s) is/are 1-5,8,9 and 12.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO/SB/08),
Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material

5. ☐ Notice of Informal Patent Application
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

SHELLEY M. SELF
PRIMARY EXAMINER

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on May 16, 2007 has been entered.

Response to Amendment

The amendment filed on May 16, 2007 is sufficient to overcome the prior art reference.

Allowable Subject Matter

Claims 1-5, 8, 9, and 12 are allowed.

The following is an examiner's statement of reasons for allowance: The prior art of record does not disclose or fairly suggest a planar having a deflector having a *rib formed between the tube section and the curved section and that is angled less than 90° in relation to a longitudinal axis of the tube section* in combination with the rest of the claimed limitations as set forth in claims 1 and 9.

As noted in the previous Office Action, Eichberger discloses a planer comprising a shoe, body, cutting drum, motor, airflow generator and deflector. Eichberger further discloses the deflector having tube section that has substantially circular cross-section, a curved section that

Art Unit: 3725

has a substantially U-shaped cross section and rib formed between the tube section and the curved section. Eichberger does not disclose or fairly suggest a *rib angled less than 90° in relation to the longitudinal axis of the tube section*. Eichberger's rib (56) is angled 90° relative to the longitudinal axis of the tube section (54) to construct Eichberger's rig at less than 90° would destroy Eichberger and is impermissible hindsight reconstruction. Applicant's disclosure positively recites criticality to the specific selection of a less than 90° angle of the rib as the rib relates to the longitudinal axis of the tube *so as to allow the tubular section of the deflector to point upwards when located within the body of the planer*. Accordingly, Eichberger neither anticipates nor render obvious the claimed invention as set forth in claims 1 and 9.

Neither the prior art of record nor any combination thereof discloses the claimed invention as set forth in claims 1 and 9. In light of Applicant's positively recited criticality regarding the angular relationship of the rib to the tube section of the deflector, claims 1-5, 8, 9 and 12 are deemed allowable over the prior art of record.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."


Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Shelley Self whose telephone number is 571-272-4524. The examiner can normally be reached on 8:30 - 5:00.

Art Unit: 3725

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Derris Banks can be reached on 571-272-4419. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.


/Shelley Self/
Primary Examiner
Art Unit 3725

June 13, 2007